

15 Plafo>The Ultra Slim LED Panel Plafo Aluminium + PC

62046F/W/C



46W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery







Physical Specification

Item Group	15 Plafo
Family	The Ultra Slim LED Panel Plafo Aluminium + PC
Order Code	62046F/W/C
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular


Height	18mm
Diameter	550mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

## Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	46W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Safety Class	
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	

Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	46W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No


## Illumination Data

Colour Temperature	4000K
Lumen Output	3600lm
Light Efficiency	78,26lm/W
CRI	80
Illumination Diagram	

## Packing Info

Box Weight	2,8kg
Pcs/Carton	5
Barcode	5291889051800
HS Code	9405409900

## Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

