


## **Product Datasheet**

www.1-light.eu

15 Plafo>The IP65 Polycarbonate Range

67284LA/D



14W LED board for 67284L.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions

222mm

=36mm

**Physical Specification** 

Item Group	15 Plafo
Family	The IP65 Polycarbonate Range
Order Code	67284LA/D
Shape	Circular
Height	36mm
Diameter	222mm
Adjustable	No

#### **Electrical Characteristics**

Gear Built In

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	14W
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Light Source	LED built in
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	14W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Ilumination Data	
Colour Tomporaturo	6000K
Colour Temperature	6000K
Lumen Output	1150lm
Light Efficiency	82,14lm/W
Illumination Diagram	


### Packing Info

 Pcs/Carton
 20

 Barcode
 5291889032540

 HS Code
 9405920090

### Energy Label



#### Certification & Warranty

Warranty

Wee Directive

2 Years

Yes

# switch to one light!

